



OUTDOOR LIGHTING





Unit 12 Target Park, Lakeside,  
Redditch, Worcestershire B98 8YN

Tel: 01527 501172  
Email: [sales@centurylighting.co.uk](mailto:sales@centurylighting.co.uk)

# Contents

## Outdoor LED lighting

### Ceiling light

---




013      014      015      017      018



019      019      019      020      020      020



021      021      021      021      021




023      023      023      025      025      025

### IN-Ground light

---



027      027      027



028      028      028

## **IN-Ground light**

---



029

029




030

031

032

## **Step light**

---



033

033

033

034

034

## **Recessed light**

---




035

035

035

## Waller lithtt

---



## Spot light

---



## Spot light

---



055



055



055



057



058



059



059



059




061




062

## Lawn light

---



063




064



065



066



067



068




069



070



071



073

## Wallwasher light

---



074

## Underwater lighttt

---



075



076



077



078



079



080





Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0011</b>	12W	1446 lm	76.4°	Integrated
<b>FSC-0011T</b>	12W	1446 lm	76.4°	Triac controllable
<b>FSC-0011F</b>	8.4W	1075 lm	76.4°	1-10V controllable
<b>FSC-0011D</b>	8.4W	1075 lm	76.4°	DALI controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0012</b>	25W	2881 lm	79.1°	Integrated
<b>FSC-0012T</b>	25W	2881 lm	79.1°	Triac controllable
<b>FSC-0012F</b>	21.1W	2539 lm	79.1°	1-10V controllable
<b>FSC-0012D</b>	21.1W	2539 lm	79.1°	DALI controllable

Light distribution






Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0021AS</b>	13.4W	1207 lm	9.2°	Integrated
<b>FSC-0021AST</b>	13.4W	1207 lm	9.2°	Triac controllable
<b>FSC-0021ASF</b>	9.1W	923 lm	9.2°	1-10V controllable
<b>FSC-0021ASD</b>	9.1W	923 lm	9.2°	DALI controllable
<b>FSC-0021A</b>	12W	1446 lm	14°/27.2°/43°	Integrated
<b>FSC-0021AT</b>	12W	1446 lm	14°/27.2°/43°	Triac controllable
<b>FSC-0021AF</b>	8.4W	1075 lm	14°/27.2°/43°	1-10V controllable
<b>FSC-0021AD</b>	8.4W	1075 lm	14°/27.2°/43°	DALI controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0022A</b>	25W	2881 lm	15.4°/26.8°/47.5°	Integrated
<b>FSC-0022AT</b>	25W	2881 lm	15.4°/26.8°/47.5°	Triac controllable
<b>FSC-0022AF</b>	21.1W	2539 lm	15.4°/26.8°/47.5°	1-10V controllable
<b>FSC-0022AD</b>	21.1W	2539 lm	15.4°/26.8°/47.5°	DALI controllable

Light distribution




Outdoor  
Ceiling Accent Light

DIY3




Aluminum






Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0021BS</b>	13.4W	1207 lm	9.8°	Integrated
<b>FSC-0021BST</b>	13.4W	1207 lm	9.8°	Triac controllable
<b>FSC-0021BSF</b>	9.1W	923 lm	9.8°	1-10V controllable
<b>FSC-0021BSD</b>	9.1W	923 lm	9.8°	DALI controllable
<b>FSC-0021B</b>	12W	1446 lm	14°/27.2°/43°	Integrated
<b>FSC-0021BT</b>	12W	1446 lm	14°/27.2°/43°	Triac controllable
<b>FSC-0021BF</b>	8.4W	1075 lm	14°/27.2°/43°	1-10V controllable
<b>FSC-0021BD</b>	8.4W	1075 lm	14°/27.2°/43°	DALI controllable

#### Light distribution




#### Accessories



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0022B</b>	25W	2881 lm	16.3°/31.2°/53.6°	Integrated
<b>FSC-0022BT</b>	25W	2881 lm	16.3°/31.2°/53.6°	Triac controllable
<b>FSC-0022BF</b>	21.1W	2539 lm	16.3°/31.2°/53.6°	1-10V controllable
<b>FSC-0022BD</b>	21.1W	2539 lm	16.3°/31.2°/53.6°	DALI controllable

#### Light distribution



#### Accessories







Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0031A</b>	12W	1350 lm	75.5°x54.7°	Integrated
<b>FSC-0031AT</b>	12W	1350 lm	75.5°x54.7°	Triac controllable
<b>FSC-0031AF</b>	8W	1004 lm	75.5°x54.7°	1-10V controllable
<b>FSC-0031AD</b>	8W	1004 lm	75.5°x54.7°	DALI controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0032A</b>	24.7W	2623 lm	77.2°x50.2°	Integrated
<b>FSC-0032AT</b>	24.7W	2623 lm	77.2°x50.2°	Triac controllable
<b>FSC-0032AF</b>	20.9W	2336 lm	77.2°x50.2°	1-10V controllable
<b>FSC-0032AD</b>	20.9W	2336 lm	77.2°x50.2°	DALI controllable

Light distribution






Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0131S</b>	8.2W	651 lm	8.2°	Integrated
<b>FSC-0131ST</b>	8.2W	651 lm	8.2°	Triac controllable
<b>FSC-0131</b>	8.4W	1075 lm	19.4°/35.7°/45.5°	Integrated
<b>FSC-0131T</b>	8.4W	1075 lm	19.4°/35.7°/45.5°	Triac controllable
<b>FSC-0131F</b>	8.4W	1075 lm	19.4°/35.7°/45.5°	1-10V controllable
<b>FSC-0131D</b>	8.4W	1075 lm	19.4°/35.7°/45.5°	DALI controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0132S</b>	13.4W	1207 lm	8.9°	Integrated
<b>FSC-0132ST</b>	13.4W	1207 lm	8.9°	Triac controllable
<b>FSC-0132SF</b>	13.4W	1207 lm	8.9°	1-10V controllable
<b>FSC-0132SD</b>	13.4W	1207 lm	8.9°	DALI controllable
<b>FSC-0132</b>	16.8W	2371 lm	23.5°/33.7°/45°	Integrated
<b>FSC-0132T</b>	15W	2154 lm	23.5°/33.7°/45°	Triac controllable
<b>FSC-0132F</b>	15W	2154 lm	23.5°/33.7°/45°	1-10V controllable
<b>FSC-0132D</b>	15W	2154 lm	23.5°/33.7°/45°	DALI controllable

Light distribution







Aluminum





Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0041</b>	4.4W	516lm	14.4°/27.9°/43°	Integrated
<b>FSC-0041T</b>	4.4W	516lm	14.4°/27.9°/43°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0042</b>	4.4W	516lm	14.3°/29.2°/43.3°	Integrated
<b>FSC-0042T</b>	4.4W	516lm	14.3°/29.2°/43.3°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0043</b>	4.4W	516lm	20.1°/29.9°/41.8°	Integrated
<b>FSC-0043T</b>	4.4W	516lm	20.1°/29.9°/41.8°	Triac controllable

Light distribution





Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------


**FSC-0051**

8.4W 1075lm 15.8°/28.2°/50.6° Integrated

**FSC-0051T**

8.4W 1075lm 15.8°/28.2°/50.6° Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------



**FSC-0052**

8.4W 1075lm 16°/28°/50.3° Integrated

**FSC-0052T**

8.4W 1075lm 16°/28°/50.3° Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------


**FSC-0053**

8.4W 1075lm 20°/29°/47.9° Integrated

**FSC-0053T**


8.4W 1075lm 20°/29°/47.9° Triac controllable

Light distribution




Outdoor  
Ceiling Light

## Sampson





Aluminum







Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0081S</b>	2.1W	162lm	3.4°	Integrated
<b>FSC-0081</b>	4W	374lm	17°/21°/27.5°/32.3°/55.4°/18.5°×33.1°	Integrated
<b>FSC-0081T</b>	4W	374lm	17°/21°/27.5°/32.3°/55.4°/18.5°×33.1°	Triac controllable

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0082</b>	8.4W	776lm	17.1°/20.9°/25.1°/35.2°/54°/17.1°×34.3°	Integrated
<b>FSC-0082T</b>	8.4W	776lm	17.1°/20.9°/25.1°/35.2°/54°/17.1°×34.3°	Triac controllable

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0083S</b>	10.5W	811lm	3.6°	Integrated
<b>FSC-0083</b>	18.9W	1746lm	16.3°/20°/25.6°/33.6°/60.4°/17.9°×32°	Integrated
<b>FSC-0083T</b>	18.9W	1746lm	16.3°/20°/25.6°/33.6°/60.4°/17.9°×32°	Triac controllable
<b>FSC-0083F</b>	15.6W	1537lm	17.2°/21.9°/24.9°/17.6°/59°/17.7°×31.4°	1-10V controllable
<b>FSC-0083D</b>	15.6W	1537lm	17.2°/21.9°/24.9°/17.6°/59°/17.7°×31.4°	DALI controllable

Light distribution




Outdoor  
Ceiling Light

**Leif**




Aluminum






Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0112</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Integrated
<b>FSC-0112T</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Triac controllable
<b>FSC-0112F</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	1-10V controllable
<b>FSC-0112D</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	DALI controllable

#### Light distribution




#### Accessories




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0113</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Integrated
<b>FSC-0113T</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Triac controllable
<b>FSC-0113F</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	1-10V controllable
<b>FSC-0113D</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	DALI controllable

#### Light distribution




#### Accessories



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0114</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Integrated
<b>FSC-0114T</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Triac controllable
<b>FSC-0114F</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	1-10V controllable
<b>FSC-0114D</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	DALI controllable

#### Light distribution




#### Accessories




Outdoor  
Ceiling Light

**Leif**



Aluminum






Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0122</b>	8.4W	776lm	25.6°x45.3°	Integrated
<b>FSC-0122T</b>	8.4W	776lm	25.6°x45.3°	Triac controllable
<b>FSC-0122F</b>	4.0W	424lm	25.6°x45.3°	1-10V controllable
<b>FSC-0122D</b>	4.0W	424lm	25.6°x45.3°	DALI controllable

Light distribution

25.6°x45.3° LOR 0.49




Accessories



DSC-006

DSC-003



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0123</b>	12.6W	973lm	25.6°x44.7°	Integrated
<b>FSC-0123T</b>	12.6W	973lm	25.6°x44.7°	Triac controllable
<b>FSC-0123F</b>	8.4W	876lm	25.6°x44.7°	1-10V controllable
<b>FSC-0123D</b>	8.4W	876lm	25.6°x44.7°	DALI controllable

Light distribution

25.6°x44.7° LOR 0.48




Accessories



DSC-007


DSC-004



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FSC-0124</b>	16.8W	1552lm	25.3°x42.9°	Integrated
<b>FSC-0124T</b>	16.8W	1552lm	25.3°x42.9°	Triac controllable
<b>FSC-0124F</b>	16.8W	1552lm	25.3°x42.9°	1-10V controllable
<b>FSC-0124D</b>	16.8W	1552lm	25.3°x42.9°	DALI controllable

Light distribution

25.3°x42.9° LOR 0.40



Accessories



DSC-008

DSC-005



Aluminum / SUS316



**IK07** SLR 1000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit			
<b>FU-0041</b>	2W	211lm	18°/22.2°/24.9°/32.9°	Integrated			
Light distribution							
18.0°	LOR 0.62	22.2°	LOR 0.75	24.9°	LOR 0.69	32.9°	LOR 0.72
	902		834		617		346

**IK08** SLR 1000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit			
<b>FU-0042</b>	4W	374lm	11.9°/16.0°/23.2°/31.5°	Integrated			
Light distribution							
11.9°	LOR 0.88	16.0°	LOR 0.98	23.2°	LOR 0.95	31.5°	LOR 0.95
	2831		2417		1370		841

**IK09** SLR 2000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit	
<b>FU-0043</b>	6.3W	580lm	15.7°/27.1°/37.8°	Integrated	
Light distribution					
15.7°	LOR 0.67	27.1°	LOR 0.59	37.8°	LOR 0.43
	4377		1776		701


**IK09** SLR 2000kg AC 24V



Model	LED	CCT 3000K	Lens	Power supply unit	
<b>FU-0043H</b>	6.3W	580lm	15.7°/27.1°/37.8°	Integrated	
Light distribution					
15.7°	LOR 0.67	27.1°	LOR 0.59	37.8°	LOR 0.43
	4377		1776		701

Outdoor  
In-ground Light

**Verne**



Aluminum / SUS316



**IK07** **SLR**  
1000kg **DC**  
24V

Model	LED	CCT 3000K	Lens	Power supply unit			
<b>FU-0041A</b>	2W	211lm	16.9°/20.8°/22.6°/27.8°	Integrated			
Light distribution							
16.9°	LOR 0.52	20.8°	LOR 0.58	22.6°	LOR 0.54	27.8°	LOR 0.50
	887		747		579		315



**IK08** **SLR**  
1000kg **DC**  
24V

Model	LED	CCT 3000K	Lens	Power supply unit			
<b>FU-0042A</b>	4W	374lm	11.6°/15.3°/21.2°/27.4°	Integrated			
Light distribution							
11.6°	LOR 0.76	15.3°	LOR 0.78	21.2°	LOR 0.73	27.4°	LOR 0.68
	2923		2229		1277		768




**IK09** **SLR**  
2000kg **DC**  
24V

Model	LED	CCT 3000K	Lens	Power supply unit	
<b>FU-0043A</b>	6.3W	580lm	15.1°/25.0°/33.7°	Integrated	
Light distribution					
15.1°	LOR 0.54	25.0°	LOR 0.47	33.7°	LOR 0.32
	3959		1658		649



**IK09** **SLR**  
2000kg **AC**  
24V

Model	LED	CCT 3000K	Lens	Power supply unit	
<b>FU-0043AH</b>	6.3W	580lm	15.1°/25.0°/33.7°	Integrated	
Light distribution					
15.1°	LOR 0.54	25.0°	LOR 0.47	33.7°	LOR 0.32
	3959		1658		649



Aluminum / SUS316




**IK09** **SLR**  
2000kg **DC**  
24V




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043W</b>	8.2W	651lm	15°×(10-100°)	Integrated

Light distribution  
15°×(10-100°) LOR 0.86


**IK09** **SLR**  
2000kg **DC**  
24V



**IK09** **SLR**  
2000kg **DC**  
24V




**IK09** **SLR**  
2000kg **AC**  
24V






Aluminum / SUS316



φ 142  
199.5

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0012BS</b>	8.2W	651lm	8.2°	Integrated
<b>FU-0012BST</b>	8.2W	651lm	8.2°	Triac controllable
<b>FU-0012B</b>	12W	1446lm	19.5°/35°/45°	Integrated
<b>FU-0012BT</b>	12W	1446lm	19.5°/35°/45°	Triac controllable
<b>FU-0012BF</b>	8.4W	1075lm	19.5°/35°/45°	1-10V controllable
<b>FU-0012BD</b>	8.4W	1075lm	19.5°/35°/45°	DALI controllable


Light distribution



φ 210  
207


Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0013</b>	24.2W	3192lm	18.7°/32.7°/53°	Integrated
<b>FU-0013T</b>	24.2W	3192lm	18.7°/32.7°/53°	Triac controllable
<b>FU-0013F</b>	20.5W	2790lm	18.7°/32.7°/53°	1-10V controllable
<b>FU-0013D</b>	20.5W	2790lm	18.7°/32.7°/53°	DALI controllable

Light distribution





Aluminum / SUS316





φ 145  
155



φ 142  
199.5

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0022S</b>	8.2W	651lm	8.2°	Integrated
<b>FU-0022ST</b>	8.2W	651lm	8.2°	Triac controllable
<b>FU-0022</b>	8.4W	1075lm	19.4°/35.7°/45.5°	Integrated
<b>FU-0022T</b>	8.4W	1075lm	19.4°/35.7°/45.5°	Triac controllable
<b>FU-0022F</b>	8.4W	1075lm	19.4°/35.7°/45.5°	1-10V controllable
<b>FU-0022D</b>	8.4W	1075lm	19.4°/35.7°/45.5°	DALI controllable

Light distribution




φ 220  
247



φ 210  
207

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0023S</b>	13.4W	1207lm	8.9°	Integrated
<b>FU-0023ST</b>	13.4W	1207lm	8.9°	Triac controllable
<b>FU-0023SF</b>	13.4W	1207lm	8.9°	1-10V controllable
<b>FU-0023SD</b>	13.4W	1207lm	8.9°	DALI controllable
<b>FU-0023</b>	16.8W	2371lm	23.2°/38.2°/46.7°	Integrated
<b>FU-0023T</b>	15W	2154lm	23.2°/38.2°/46.7°	Triac controllable
<b>FU-0023F</b>	15W	2154lm	23.2°/38.2°/46.7°	1-10V controllable
<b>FU-0023D</b>	15W	2154lm	23.2°/38.2°/46.7°	DALI controllable

Light distribution





Aluminum / SUS316



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0032B</b>	13.9W	1160lm	70.5°×52.4°	Integrated
<b>FU-0032BT</b>	11.5W	1006lm	70.5°×52.4°	Triac controllable
<b>FU-0032BF</b>	7.8W	748lm	70.5°×52.4°	1-10V controllable
<b>FU-0032BD</b>	7.8W	748lm	70.5°×52.4°	DALI controllable

Light distribution

70.5°×52.4° LOR 0.52



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0033</b>	24.7W	1955 lm	79.2°×51.9°	Integrated
<b>FU-0033T</b>	20.9W	1741lm	79.2°×51.9°	Triac controllable
<b>FU-0033F</b>	19W	1628lm	79.2°×51.9°	1-10V controllable
<b>FU-0033D</b>	19W	1628lm	79.2°×51.9°	DALI controllable

Light distribution

79.2°×51.9° LOR 0.56





Aluminum



SUS316




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0011</b>	2.8W	132lm	102.7°	Integrated
Light distribution				



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0011A</b>	1.4W	85lm	103.8°	Integrated
Light distribution				



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0012</b>	2.8W	132lm	104°	Integrated
Light distribution				



Aluminum



SUS316




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0013</b>	1.4W	85 lm	103°	Integrated
Light distribution				

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0013A</b>	1.4W	85lm	105.9°	Integrated
Light distribution				


Outdoor  
Recessed Light

**Lucien**




Aluminum / SUS304





Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0021</b>	1.5W	128lm	16.1°/18.6°/39.8°	Integrated
Light distribution				
16.1°	LOR 0.59	18.6°	LOR 0.51	39.8°
45°		45°		45°
15° 313 15°		15° 481 15°		15° 72 15°



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0022</b>	3.4W	328lm	13.0°/16.4°/22.9°/30.3°/38.5°	Integrated
Light distribution				
13.0°	LOR 0.71	16.4°	LOR 0.70	22.9°
45°		45°		45°
15° 3282 15°		15° 2444 15°		15° 1481 15°
30.3°	LOR 0.70	38.5°	LOR 0.70	
45°		45°		45°
15° 873 15°		15° 605 15°		15°




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FRC-0023</b>	6.3W	671lm	14.6°/22.6°/44.4°	Integrated
Light distribution				
14.6°	LOR 0.55	22.6°	LOR 0.50	44.4°
45°		45°		45°
15° 4175 15°		15° 2054 15°		15° 831 15°

Outdoor  
Wall Light

Warner




Aluminum



137x67(Cut out)

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0011</b>	2.1W	162lm	153°	Integrated
<b>FW-0011T</b>	2.1W	162lm	153°	Integrated

Light distribution



Outdoor  
Wall Light

Warner



Aluminum




182x102(Cut out)

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0021</b>	2.1W	194lm	100.6°x50.3°	Integrated
<b>FW-0021T</b>	2.1W	194lm	100.6°x50.3°	Integrated


Light distribution  
100.6°x50.3° LOR 0.60



Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0041</b>	2.1W	194lm	158.8°x119.7°	Integrated
<b>FW-0041T</b>	2.1W	194lm	158.8°x119.7°	Triac controllable
Light distribution				




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0041A</b>	2.1W	194lm	158.8°x119.7°	Integrated
<b>FW-0041AT</b>	2.1W	194lm	158.8°x119.7°	Triac controllable
Light distribution				

Outdoor  
Wall Light

## Hardy




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0071</b>	2.1W	272lm	50°	Integrated
<b>FW-0071T</b>	2.1W	272lm	50°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0072</b>	6.3W	643lm	50°	Integrated
<b>FW-0072T</b>	6.3W	643lm	50°	Triac controllable

Light distribution




Outdoor  
Wall Light

## Uriah




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0091</b>	4W	374lm	7.3°	Integrated
<b>FW-0091T</b>	4W	374lm	7.3°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0092</b>	8W	748lm	7.3°	Integrated
<b>FW-0092T</b>	8W	748lm	7.3°	Triac controllable


Light distribution

Outdoor  
Wall Light

## Uriah





Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0101</b>	8W	748lm	7.3°	Integrated
<b>FW-0101T</b>	8W	748lm	7.3°	Triac controllable



Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0102</b>	14W	1160lm	7.3°	Integrated
<b>FW-0102T</b>	14W	1160lm	7.3°	Triac controllable

Light distribution






Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0122</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Integrated
<b>FW-0122T</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Triac controllable
<b>FW-0122F</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	1-10V controllable
<b>FW-0122D</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	DALI controllable

Light distribution




Accessories




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0123</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Integrated
<b>FW-0123T</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Triac controllable
<b>FW-0123F</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	1-10V controllable
<b>FW-0123D</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	DALI controllable

Light distribution




Accessories



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0124</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Integrated
<b>FW-0124T</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Triac controllable
<b>FW-0124F</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	1-10V controllable
<b>FW-0124D</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	DALI controllable

Light distribution



Accessories




Outdoor  
Wall Light

**Tom**



Aluminum



φ 102

Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------

**FW-0051** 4.2W

438lm

163.1°x3.8°

Integrated


**FW-0051T** 4.2W


438lm

163.1°x3.8°

Triac controllable

Light distribution






Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0081</b>	28.8W	3456lm	/	Integrated

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0081A</b>	28.8W	3456lm	/	Integrated

Light distribution






Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0061</b>	6.3W	1050lm	180°	Integrated
<b>FW-0061T</b>	6.3W	1050lm	180°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FW-0062</b>	12.6W	1800lm	180°	Integrated
<b>FW-0062T</b>	12.6W	1800lm	180°	Triac controllable


Light distribution

Outdoor  
Spot Light

## Solomon




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0031S</b>	2.1W	162lm	3.4°	Integrated
<b>FS-0031ST</b>	2.1W	162lm	3.4°	Triac controllable
<b>FS-0031</b>	4.0W	374lm	17°/21°/27.5°/32.3°/55.4°/18.5°×33.1°	Integrated
<b>FS-0031T</b>	4.0W	374lm	17°/21°/27.5°/32.3°/55.4°/18.5°×33.1°	Triac controllable


### Light distribution



IK06


### Accessories







Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0032</b>	8.4W	776lm	17.1°/20.9°/25.1°/35.2°/54°/17.1°×34.3°	Integrated
<b>FS-0032T</b>	8.4W	776lm	17.1°/20.9°/25.1°/35.2°/54°/17.1°×34.3°	Triac controllable

Light distribution

**IK06**
**Accessories**


Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0033S</b>	10.5W	811lm	3.6°	Integrated
<b>FS-0033ST</b>	10.5W	811lm	3.6°	Triac controllable
<b>FS-0033SF</b>	10.5W	811lm	3.6°	1-10V controllable
<b>FS-0033SD</b>	10.5W	811lm	3.6°	DALI controllable
<b>FS-0033</b>	18.9W	1746lm	16.3°/20°/25.6°/33.6°/60.4°/17.9°×32°	Integrated
<b>FS-0033T</b>	18.9W	1746lm	16.3°/20°/25.6°/33.6°/60.4°/17.9°×32°	Triac controllable
<b>FS-0033F</b>	15.6W	1537lm	17.2°/21.9°/24.9°/27.6°/59°/17.7°×31.4°	1-10V controllable
<b>FS-0033D</b>	15.6W	1537lm	17.2°/21.9°/24.9°/27.6°/59°/17.7°×31.4°	DALI controllable

## Light distribution



**IK07**
**Accessories**


Outdoor  
Spot Light

**Theobald**



Aluminum







Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0022S</b>	4W	374lm	16.2°/23.7°/31.5°/51.3°	Integrated
<b>FS-0022ST</b>	4W	374lm	16.2°/23.7°/31.5°/51.3°	Triac controllable

Light distribution

#### Accessories




IK06




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0022AS</b>	6.3W	671lm	6.5°	Integrated
<b>FS-0022AST</b>	6.3W	671lm	6.5°	Triac controllable
<b>FS-0022</b>	6W	503lm	15.5°/30°/43.5°	Integrated
<b>FS-0022T</b>	6W	503lm	15.5°/30°/43.5°	Triac controllable

#### Light distribution



#### Accessories




IK06




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0023S</b>	9.1w	923lm	10.6°	Integrated
<b>FS-0023</b>	12W	1446lm	14.6°/27.8°/45.7°	Integrated
<b>FS-0023T</b>	12W	1446lm	14.6°/27.8°/45.7°	Triac controllable
<b>FS-0023F</b>	12W	1150lm	14.6°/27.8°/45.7°	1-10V controllable
<b>FS-0023D</b>	12W	1150lm	14.6°/27.8°/45.7°	DALI controllable


#### Light distribution



#### Accessories




IK07




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0024</b>	24.2W	3192lm	20.1°/33.9°/48.3°	Integrated
<b>FS-0024T</b>	16.8W	2371lm	20.1°/33.9°/48.3°	Triac controllable
<b>FS-0024F</b>	16.8W	2371lm	20.1°/33.9°/48.3°	1-10V controllable
<b>FS-0024D</b>	16.8W	2371lm	20.1°/33.9°/48.3°	DALI controllable

#### Light distribution



#### Accessories




IK07

Outdoor  
Spot Light

**Theobald**




**SUS316**





Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0041SC</b>	2.1W	194lm	3.8°	Integrated
<b>FS-0041S</b>	4W	374lm	6.5°	Integrated
<b>FS-0041</b>	4.4W	516lm	14.6°/24.4°/49.3°	Integrated

## Light distribution



## Accessories




**IK06** **DC 24V**



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0041C</b>	4W	272lm	22.4°/31.4°/36.1°	Integrated


## Light distribution



## Accessories




**IK06** **AC 230V**




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0042S</b>	7.2W	576lm	10°	Integrated
<b>FS-0042</b>	8.4W	1075lm	13.9°/28.9°/55.2°	Integrated

## Light distribution



## Accessories




**IK06** **DC 24V**




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0042C</b>	8W	644lm	15.1°/28.6°/51.7°	Integrated

## Light distribution



## Accessories




**IK06** **DC 230V**

Outdoor  
Spot Light

**Theobald**




Aluminum





Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0041ASC</b>	2.1W	194lm	3.8°	Integrated
<b>FS-0041AS</b>	6W	503lm	6.5°	Integrated
<b>FS-0041A</b>	6.3W	665lm	14.2°/25.4°/47.8°	Integrated

#### Light distribution




**IK06** **DC 24V**

#### Accessories




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0041AC</b>	6W	639lm	21.2°/37.4°/38°	Integrated

#### Light distribution




**IK06** **AC 230V**

#### Accessories



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0042AS</b>	7.2W	576lm	10°	Integrated
<b>FS-0042A</b>	8.4W	1075lm	13.9°/28.9°/55.2°	Integrated

#### Light distribution




**IK06** **DC 24V**

#### Accessories



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0042AC</b>	12W	965lm	18.4°/31.1°/55.9°	Integrated

#### Light distribution



**IK06** **AC 230V**

#### Accessories



Outdoor  
Spot Lightt


**Theobald**



Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------



**FS-0011** 4W 374lm 12.6°/16°/23°/31.8°/42° Integrated

#### Light distribution




#### Accessories



**IK06** **DC 24V**

Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------



**FS-0012S** 8.2W 651lm 8° Integrated


**FS-0012ST** 8.2W 651lm 8° Triac controllable

**FS-0012B** 12W 1446lm 20.5°/30.7°/46.2° Integrated

**FS-0012BT** 12W 1446lm 20.5°/30.7°/46.2° Triac controllable

**FS-0012W** 6W 1446lm 15°×(10-100°) Integrated

#### Light distribution




#### Accessories



**IK06** **AC 230V**

Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------



**FS-0013S** 13.4W 1207lm 10.6° Integrated

**FS-0013ST** 13.4W 1207lm 10.6° Triac controllable


**FS-0013SF** 13.4W 1207lm 10.6° 1-10V controllable

**FS-0013SD** 13.4W 1207lm 22.9°/37.4°/46.3° DALI controllable

**FS-0013B** 24.2W 3192lm 22.9°/37.4°/46.3° Integrated

**FS-0013BT** 24.2W 503lm 22.9°/37.4°/46.3° Triac controllable

#### Light distribution



#### Accessories




**IK07** **AC 230V**

Outdoor  
Mni Spot Light

Theobald




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0021</b>	2W	211lm	15.4°/18.8°/28.8°/30.9°	Integrated

Light distribution



Accessories



Outdoor  
Mni Spot Light

Theobald



SUS316  
Tilt 180°  
Rotate 70°



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0021A</b>	2W	211lm	15.4°/18.8°/28.8°/30.9°	Integrated

Light distribution



Outdoor  
Spot Lightt


**Leif**




Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0072</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Integrated
<b>FS-0072T</b>	8.4W	776lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	Triac controllable
<b>FS-0072F</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	1-10V controllable
<b>FS-0072D</b>	4.0W	424lm	15.5°/19°/23.7°/35.7°/60.5°/15.5°×30.7°	DALI controllable




#### Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0073</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Integrated
<b>FS-0073T</b>	12.6W	973lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	Triac controllable
<b>FS-0073F</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	1-10V controllable
<b>FS-0073D</b>	8.4W	876lm	15.5°/19.6°/23.8°/36.1°/57.2°/16°×31.3°	DALI controllable




#### Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0074</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Integrated
<b>FS-0074T</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	Triac controllable
<b>FS-0074F</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	1-10V controllable
<b>FS-0074D</b>	16.8W	1552lm	15.1°/19.2°/23.3°/33.9°/59°/15.8°×31.3°	DALI controllable





#### Light distribution







Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0081S</b>	39W	2823lm	3.6°	Integrated
<b>FS-0081SF</b>	39W	2823lm	3.6°	1-10V controllable
<b>FS-0081SD</b>	39W	2823lm	3.6°	DALI controllable
<b>FS-0081</b>	54W	6615lm	16.3°/29.4°/47°	Integrated
<b>FS-0081F</b>	46W	5623lm	16.3°/29.4°/47°	1-10V controllable
<b>FS-0081D</b>	46W	5623lm	16.3°/29.4°/47°	DALI controllable

Light distribution






Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FS-0082</b>	60W	5477lm	96°	Integrated
<b>FS-0082F</b>	50W	4878lm	96°	1-10V controllable
<b>FS-0082D</b>	50W	4878lm	96°	DALI controllable

Light distribution




Outdoor  
Lawn Light

## Oswald



Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0011</b>	6.3W	420lm	61.2°	Integrated
Light distribution				
				



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0012</b>	12.6W	950lm	65.9°	Integrated
Light distribution				
				

Outdoor  
Lawn Light



## Skyler




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0021</b>	12.6W	1512lm	94°	Integrated




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0022</b>	6.3W	806lm	92.6°	Integrated



Outdoor  
Lawn Light

Drew





Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0051</b>	5W	659lm	114°	Integrated

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0051A</b>	10W	1318lm	114°	Integrated

Light distribution






Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0052</b>	10W	1254lm	85°	Integrated

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0052A</b>	20W	2508lm	85°	Integrated

Light distribution




Outdoor  
Lawn Light



## Adonis




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0111</b>	8.2W	651lm	165.5°	Integrated



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0112</b>	8.2W	651lm	165.5°	Integrated




Outdoor  
Lawn Light

## Bailey




Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0101</b>	12W	1344lm	75.3°	Integrated

Light distribution



Accessories




DG-005



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0102</b>	12W	1344lm	75.3°	Integrated

Light distribution



Accessories




DG-005

Outdoor  
Lawn Light

Drew



Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0091</b>	6W	503lm	114.1x101.8°	Integrated
<b>FG-0091T</b>	6W	503lm	114.1x101.8°	Triac controllable


Light distribution



Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0041</b>	8.4W	1075lm	21.2°/31.9°/46.3°	Integrated
Light distribution				
21.2°	LOR 0.72	31.9°	LOR 0.70	46.3°
5052		2893		1547



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0042</b>	8.4W	1075lm	21.2°/31.9°/46.3°	Integrated
Light distribution				
21.2°	LOR 0.72	31.9°	LOR 0.70	46.3°
5052		2893		1547



Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0061</b>	4W	374lm	16.2°/23.7°/31.5°/51.3°	Integrated
<b>FG-0061T</b>	4W	374lm	16.2°/23.7°/31.5°/51.3°	Triac controllable

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0063</b>	8.4W	1075lm	20.8°/33.1°/46.4°	Integrated
<b>FG-0063T</b>	6W	671lm	20.8°/33.1°/46.4°	Triac controllable

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0065</b>	24.2W	3192lm	20.1°/33.9°/48.3°	Integrated
<b>FG-0065T</b>	16.8W	2371lm	20.1°/33.9°/48.3°	Triac controllable

Light distribution




Aluminum




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0062</b>	8W	748lm	11.5°/15.9°/21.9°/30.5°/52.9°	Integrated
<b>FG-0062T</b>	8W	748lm	11.5°/15.9°/21.9°/30.5°/52.9°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0064</b>	16.8W	2150lm	20.8°/33.1°/46.4°	Integrated
<b>FG-0064T</b>	12W	1342lm	20.8°/33.1°/46.4°	Triac controllable

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0066</b>	48.4W	6384lm	18.2°/32°/52.2°	Integrated
<b>FG-0066T</b>	33.6W	4742lm	18.2°/32°/52.2°	Triac controllable

Light distribution

Outdoor  
Lawn Light

## Casey




SUS316




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0131</b>	2.1W	182lm	93.8°	Integrated

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0131A</b>	1.8W	72lm	87.4°	Integrated

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FG-0131B</b>	1.8W	75lm	92.1°	Integrated

Light distribution




Outdoor  
Wall Washer Light

Ives



Aluminum



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FL-0011H</b>	20.5W	2206lm	16.9°×14°	Integrated
Light distribution				




Outdoor  
Under Water Light

Arlen




SUS316L




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FUW-0021</b>	25.2W	2328lm	25.7°x54.7°	Integrated
Light distribution				
25.7°x54.7° LOR 0.75				

Outdoor  
Under Water Light

Arlen



SUS316L



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FUW-0022</b>	25.2W	2328lm	25.7°x54.7°	Integrated
Light distribution				

Outdoor  
Under Water Light

Bard




PVC-U / SUS316L



Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------

**FUW-0031** 6W 503lm 11.4°/15.5°/22.2°/30°/34° Integrated

Light distribution



Accessories




Outdoor  
Under Water Light

Bard




SUS316L



Model	LED	CCT 3000K	Lens	Power supply unit
-------	-----	-----------	------	-------------------

**FUW-0041** 6W 503lm 11.4°/15.5°/22.2°/30°/34° Integrated

Light distribution



Accessories



Outdoor  
Under Water Light

Carter




PVC-U / SUS316L



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FUW-0051</b>	2.8W	192lm	103.8°	Integrated

Light distribution



Accessories



DWU-002

Outdoor  
Under Water Light

## Carter



SUS316



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FUW-0052</b>	2.8W	85lm	105.9°	Integrated

